

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Hanae KAKU *et al.*

Serial No.: 10/591,576

Group No.:

Filed: 08/31/2006

Examiner:

For: **Chitin Oligosaccharide Elicitor-Binding Proteins**

INFORMATION DISCLOSURE STATEMENT

MS PCT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on May 16, 2007.

By: _____


Cliff Cannon-Cin

Dear Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. § 1.56 and § 1.97. The Examiner is requested to make these citations of official record in this application:

- Publication No. US 2005/0034189 A1 of Minami *et al.*, "Chitin oligosaccharide elicitor and gibberellin responsive genes in plants and uses thereof (2005) as English translation of related Publication No. WO 2003/054196 A1;
- Publication No. WO 2003/000906 A2 of Glazebrook *et al.*, "Plant disease resistance genes" (2003) provided by WIPO;
- Publication No. WO 2003/054196 A1 of Minami *et al.*, "Chitin oligosaccharide elicitor and gibberellin responsive genes in plant and utilization thereof" (2003) see Publication No. US 2005/0034189 A1 as English translation;
- Baureithel *et al.*, "Specific, high affinity binding of chitin fragments to tomato cells and membranes," *J Biol Chem*, 269:17931-17938 (1994);

- Day *et al.*, "Binding site for chitin oligosaccharides in the soybean plasma membrane," *Plant Physiology*, 126:1162-1173 (2001);
- He *et al.*, "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, *N*-acetylchitoheptaose," *MPMI*, 11:1167-1174 (1998);
- Ito *et al.*, "Identification of a high-affinity binding protein for *N*-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," *Plant J*, 12:347-356 (1997);
- Kaku *et al.*, "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO;
- Kikuyama *et al.*, "Membrane depolarization induced by *N*-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," *Plant Cell Physiol*, 38:902-909 (1997);
- Minami *et al.*, "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with *N*-acetylchitoheptaose, a biotic elicitor for phytoalexin production," *Plant Cell Physiol*, 37:563-567 (1996);
- Okada *et al.*, "Identification of a high-affinity binding protein for *N*-acetylchitooligosaccharide elicitor in the plasma membrane from rice leaf and root cells," *J Plant Physiol*, 158:121-124 (2001);
- Okada *et al.*, "High-affinity binding proteins for *N*-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carrot cells: conserved presence and correlation with the responsiveness to the elicitor," *J Plant Physiol*, 45:505-512 (2002);
- Shibuya *et al.*, "Identification of a novel high-affinity binding site for *N*-acetylchitooligosaccharide elicitor in the membrane fraction from suspension-cultured rice cells," *FEBS Letters*, 329:75-78 (1993);
- Shibuya *et al.*, "Localization and binding characteristics of a high-affinity binding site for *N*-acetylchitooligosaccharide elicitor in the plasma membrane from suspension-cultured rice cells suggest a role as a receptor for the elicitor signal at the cell surface," *J Plant Physiol*, 37:894-898 (1996);
- Takai *et al.*, "Isolation and analysis of expression mechanisms of a rice gene, EL5, which shows structural similarity to ATL family from *Arabidopsis*, in response to *N*-acetylchitooligosaccharide elicitor," *Plant Science*, 160:577-583 (1993);

- Yamada *et al.*, "Induction of phytoalexin formation in suspension-cultured rice cells by *N*-acetylchitooligosaccharides," *Biosci Biotech Biochem*, 57:405-409 (1993);
- Yamaguchi *et al.*, "Activation of phospholipases by *N*-acetylchitooligosaccharide elicitor in suspension-cultured rice cells mediates reactive oxygen generation," *Physiologia Plantarum*, 118:361-370 (2003);
- GENBANK Accession No. AC099399 (2001) provided by WIPO; and
- GENBANK Accession No. AK073032 (2001) provided by WIPO.

This Information Disclosure Statement under 37 C.F.R. § 1.56 and § 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: May 16, 2007



Christine A. Lekutis
Registration No. 51,934

MEDLEN & CARROLL, LLP
101 Howard Street, Suite 350
San Francisco, California 94105
415/904-6500

FORM PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: SHIMIZU-13111

Serial No.: 10/591,576

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use Several Sheets If Necessary)

(37 CFR § 1.98(b))

Applicant: Hanae Kaku

Filing or 371(c) Date: 08/31/2006

Group Art Unit:

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Document / Patent Number	Publication / Issue Date	Applicant / Patentee	Class	Subclass	Filing Date
/M.I./	1	2005/0034189	02/10/2005	Minami et al.			06/18/2004

FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS

		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Translation	
							Yes	No
/M.I./	2	WO 2003/000906	01/03/2003	PCT				
/M.I./	3	WO 2003/054196	07/03/2003	PCT			x	

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

/M.I./	4	Baureithel et al., "Specific, high affinity binding of chitin fragments to tomato cells and membranes," <i>J Biol Chem</i> , 269:17931-17938 (1994)					
/M.I./	5	Day et al., "Binding site for chitin oligosaccharides in the soybean plasma membrane," <i>Plant Physiology</i> , 126:1162-1173 (2001)					
/M.I./	6	He et al., "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, N-acetylchitoheptaose," <i>MPMI</i> , 11:1167-1174 (1998)					
/M.I./	7	Ito et al., "Identification of a high-affinity binding protein for N-acetylchitoooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," <i>Plant J</i> , 12:347-356 (1997)					
/M.I./	8	Kaku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41 st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO					
/M.I./	9	Kikuyama et al., "Membrane depolarization induced by N-acetylchitoooligosaccharide elicitor in suspension-cultured rice cells," <i>Plant Cell Physiol</i> , 38:902-909 (1997)					
/M.I./	10	Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaose, a biotic elicitor for phytoalexin production," <i>Plant Cell Physiol</i> , 37:563-567 (1996)					
/M.I./	11	Okada et al., "Identification of a high-affinity binding protein for N-acetylchitoooligosaccharide elicitor in the plasma membrane from rice leaf and root cells," <i>J Plant Physiol</i> , 158:121-124 (2001)					
/M.I./	12	Okada et al., "High-affinity binding proteins for N-acetylchitoooligosaccharide elicitor in the plasma membranes from wheat, barley and carrot cells: conserved presence and correlation with the responsiveness to the elicitor," <i>J Plant Physiol</i> , 45:505-512 (2002)					
/M.I./	13	Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitoooligosaccharide elicitor in the membrane fraction from suspension-cultured rice cells," <i>FEBS Letters</i> , 329:75-78 (1993)					
/M.I./	14	Shibuya et al., "Localization and binding characteristics of a high-affinity binding site for N-acetylchitoooligosaccharide elicitor in the plasma membrane from suspension-cultured rice cells suggest a role as a receptor for the elicitor signal at the cell surface," <i>J Plant Physiol</i> , 37:894-898 (1996)					
/M.I./	15	Takai et al., "Isolation and analysis of expression mechanisms of a rice gene, EL5, which shows structural similarity to ATL family, from <i>Arabidopsis</i> , in response to N-acetylchitoooligosaccharide elicitor," <i>Plant Science</i> , 160:577-583 (1993)					
/M.I./	16	Yamada et al., "Induction of phytoalexin formation in suspension-cultured rice cells by N-acetylchitoooligosaccharides," <i>Biosci Biotech Biochem</i> , 57:405-409 (1993)					
/M.I./	17	Yamaguchi et al., "Activation of phospholipases by N-acetylchitoooligosaccharide elicitor in suspension-cultured rice cells mediates reactive oxygen generation," <i>Physiologia Plantarum</i> , 118:361-370 (2003)					
/M.I./	18	GENBANK Accession No. AC099399 (2001) provided by WIPO					
/M.I./	19	GENBANK Accession No. AK073032 (2001) provided by WIPO					
	20						
	21						
	22						
	23						
	24						
	25						

Examiner: /Medina Ibrahim/

Date Considered:

12/07/2008

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.